


Tipo Type	Type Tipo	Motore Motor Moteur Motor			Portata - Capacity - Debit - Caudal										
		Kw	Hp	[A]	[m ³ /h]	0	72	78	84	90	96	102	108	114	120
					[l/min]	0	1.200	1.300	1.400	1.500	1.600	1.700	1.800	1.900	2.000
					[l/s]	0	20	21,7	23,3	25	26,7	28,3	30	31,7	33,3
					Campo di utilizzo consigliato Advised application field Champs d'application conseillé Camp de empleo aconsejado										
					PREVALENZA - HEAD IN METERS - HAUTEUR MAN - ALTURA MANOMETRICA										
				[m]	23	18	16	15	14	13	12	11	10	9	
H8GA01S		5,5	7,5	13	47	37	31	29	28	26	24	22	20	18	
H8GA02S		9,2	12,5	21	70	55	47	44	41	38	35	32	29	26	
H8GA03S		15	20	33	93	73	62	59	55	51	47	43	39	35	
H8GA04S		22	30	49	116	91	78	73	69	64	59	54	49	44	
H8GA05S		26	35	56	140	110	93	88	83	77	71	65	59	53	
H8GA06S		30	40	66	163	128	109	102	96	89	82	75	68	61	
H8GA07S		37	50	81	209	164	140	132	124	115	106	97	88	79	
H8GA09S		45	60	92	256	201	171	161	151	140	129	118	107	96	
H8GA11S		55	75	109	279	219	186	176	165	153	141	129	117	105	
H8GA12S		60	80	118	302	237	202	190	179	166	153	140	130	114	
H8GA13S		66	90	131	349	256	233	219	206	191	173	161	146	131	
H8GA14S		75	100	148											



Dimensione e Pesi - Dimension and Weights - Dimension et poids - Dimension y pesos														
Tipo Type	Type Tipo	STAGE	kW	Hp	A	B	C	D	G	H	K	KGM	KGP	KGT
H8GA01S		1	5,5	7,5	194	206	545	5"	620	1165	144	43	41	84
H8GA02S		2	9,2	12,5	194	206	685	5"	660	1345	144	50	54	104
H8GA03S		3	15	20	194	206	825	5"	760	1585	144	62	67	129
H8GA04S		4	22	30	194	206	965	5"	910	1875	144	79	80	159
H8GA05S		5	26	35	194	206	1105	5"	970	2075	144	85	93	178
H8GA06S		6	30	40	194	206	1245	5"	1020	2265	144	91	106	197
H8GA07S		7	37	50	194	206	1385	5"	1190	2575	144	108	119	227
H8GA09S		9	45	60	194	206	1665	5"	1220	2885	191	162	145	307
H8GA11S		11	55	75	194	206	1945	5"	1296	3241	191	208	171	379
H8GA12S		12	60	80	194	206	2085	5"	1370	3455	191	219	184	403
H8GA13S		13	66	90	194	206	2225	5"	1446	3671	191	228	197	425
H8GA14S		14	75	100	194	206	2365	5"	1546	3911	191	248	210	458




KgM:
 Peso del solo motore in KG
 Weight of motor in KG
 Poids du moteur en KG
 Peso del motor en KG

KgP:
 Peso del solo corpo pompa in KG
 Weight of pump body in KG
 Poids du corps de pompe en KG
 Peso del cuerpo de bomba en KG


KgT:
 Peso dell'elettropompa in KG
 Weight of the electric pump in KG
 Poids de la électropompe en KG
 Peso de la electrobomba en KG



Serie H8GA



Tipo Type	Type Tipo	Motore Motor Moteur Motor			Portata - Capacity - Debit - Caudal										
		Kw	Hp	[A]	[m ³ /h]	0	90	96	102	108	114	120	132	144	150
					[l/min]	0	1.500	1.600	1.700	1.800	1.900	2.000	2.200	2.400	2.500
					[l/s]	0	25	26,7	28,3	30	31,7	33,3	36,7	40	41,7
					Campo di utilizzo consigliato Advised application field Champs d'application conseillé Camp de empleo aconsejado										
PREVALENZA - HEAD IN METERS - HAUTEUR MAN - ALTURA MANOMETRICA															
				[m]	23	21	16	15	15	14	13	12	10	9	
H8GB01S		5,5	7,5	13	47	43	32	30	29	28	26	23	20	17	
H8GB02S		12,8	17,5	29	70	64	47	45	44	41	39	35	29	26	
H8GB03S		18,5	25	42	93	85	63	61	58	55	52	46	39	34	
H8GB04S		26	35	56	116	106	79	76	73	69	65	58	49	43	
H8GB05S		30	40	66	140	128	95	91	87	83	78	69	59	51	
H8GB06S		37	50	81	163	149	110	106	102	96	91	81	68	60	
H8GB07S		45	60	92	186	170	126	121	116	110	104	92	78	68	
H8GB08S		51	70	102	209	191	142	136	131	124	117	104	87	77	
H8GB09S		55	75	109	256	234	173	166	160	151	143	127	106	94	
H8GB11S		66	90	131	279	255	189	182	173	165	156	138	116	102	
H8GB12S		75	100	148	349	319	236	226	215	203	192	168	143	128	
H8GB15S		92	125	183											



Dimensione e Pesì - Dimension and Weights - Dimension et poids - Dimension y pesos														
Tipo Type	Type Tipo	STAGE	kW	Hp	A	B	C	D	G	H	K	KGM	KGP	KGT
H8GB01S		1	5,5	7,5	194	206	545	5"	678	1128	144	43	41	84
H8GB02S		2	12,8	17,5	194	206	685	5"	728	1395	144	48	54	102
H8GB03S		3	18,5	25	194	206	825	5"	958	1665	144	73	67	140
H8GB04S		4	26	35	194	206	965	5"	1068	1935	144	85	80	165
H8GB05S		5	30	40	194	206	1105	5"	1118	2125	144	91	93	184
H8GB06S		6	37	50	194	206	1245	5"	1288	2435	144	108	106	214
H8GB07S		7	45	60	194	206	1385	5"	1280	2605	191	162	119	281
H8GB08S		8	51	70	194	206	1525	5"	1400	2765	191	188	132	320
H8GB09S		9	55	75	194	206	1665	5"	1485	2961	191	208	145	353
H8GB11S		11	66	90	194	206	1945	5"	1590	3391	191	228	171	399
H8GB12S		12	75	100	194	206	2085	5"	1690	3631	191	248	184	432
H8GB15S		15	92	125	194	206	2505	5"	1810	4151	191	280	223	503




KgM:
 Peso del solo motore in KG
 Weight of motor in KG
 Poids du moteur en KG
 Peso del motor en KG

KgP:
 Peso del solo corpo pompa in KG
 Weight of pump body in KG
 Poids du corps de pompe en KG
 Peso del cuerpo de bomba en KG


KgT:
 Peso dell'elettropompa in KG
 Weight of the electric pump in KG
 Poids de la élektropompe en KG
 Peso de la electrobomba en KG



Serie H8GB



Tipo Type	Type Tipo	Motore Motor Moteur Motor			Portata - Capacity - Debit - Caudal										
		Kw	Hp	[A] 380V	[m ³ /h]	0	84	96	108	120	132	144	156	168	180
					[l/min]	0	1.400	1.600	1.800	2.000	2.200	2.400	2.600	2.800	3.000
					[l/s]	0	23,3	26,7	30	33,3	36,7	40	43,3	46,7	50
Campo di utilizzo consigliato Advised application field Champs d'application conseillé Camp de empleo aconsejado															
PREVALENZA - HEAD IN METERS - HAUTEUR MAN - ALTURA MANOMETRICA															
				[m]	30	24	23	22	21	20	19	18	17	14	
H8GC01S		7,5	10	17	55	44	42	40	38	35	32	30	28	23	
H8GC02S		15	20	34	79	63	60	57	53	50	45	40	37	31	
H8GC03S		22	30	49	104	82	78	73	69	64	58	52	46	39	
H8GC04S		30	40	66	127	103	97	91	85	79	72	64	57	48	
H8GC05S		37	50	81	151	121	115	107	101	93	85	75	67	58	
H8GC06S		45	60	92	175	140	132	124	116	108	98	87	77	66	
H8GC07S		51	70	102	200	178	169	157	147	137	125	111	96	82	
H8GC08S		60	80	118	224	178	169	157	147	137	125	111	96	82	
H8GC09S		66	90	131	248	198	187	175	163	152	138	123	107	91	
H8GC10S		75	100	148	324	278	261	252	230	216	201	162	138	114	
H8GC12S		92	125	183	405	347	326	315	287	270	251	203	173	143	
H8GC15S		110	150	216											



Dimensione e Pesì - Dimension and Weights - Dimension et poids - Dimension y pesos														
Tipo Type	Type Tipo	STAGE	kW	Hp	A	B	C	D	G	H	K	KGM	KGP	KGT
H8GC01S		1	7,5	10	194	206	545	5"	640	1185	144	48	41	89
H8GC02S		2	15	20	194	206	685	5"	760	1445	144	62	54	116
H8GC03S		3	22	30	194	206	825	5"	910	1735	144	79	67	146
H8GC04S		4	30	40	194	206	965	5"	1020	1985	144	91	80	171
H8GC05S		5	37	50	194	206	1105	5"	1190	2295	144	108	93	201
H8GC06S		6	45	60	194	206	1245	5"	1220	2465	191	162	106	268
H8GC07S		7	51	70	194	206	1385	5"	1240	2625	191	188	119	307
H8GC08S		8	60	80	194	206	1525	5"	1370	2895	191	219	132	351
H8GC09S		9	66	90	194	206	1665	5"	1446	3111	191	228	145	373
H8GC10S		10	75	100	194	206	1805	5"	1546	3351	191	248	158	406
H8GC12S		12	92	125	194	206	2085	5"	1646	3731	191	280	184	464
H8GC15S		15	110	150	194	206	2505	5"	1650	4155	191	300	223	523




KgM:
 Peso del solo motore in KG
 Weight of motor in KG
 Poids du moteur en KG
 Peso del motor en KG

KgP:
 Peso del solo corpo pompa in KG
 Weight of pump body in KG
 Poids du corps de pompe en KG
 Peso del cuerpo de bomba en KG


KgT:
 Peso dell'elettropompa in KG
 Weight of the electric pump in KG
 Poids de la électropompe en KG
 Peso de la electrobomba en KG



Serie H8GC



Tipo Type	Type Tipo	Motore			Portata - Capacity - Debit - Caudal										
		Kw	Hp	380V [A]	Motor										
					Moteur										
					Motor										
[m ³ /h]	0	72	78	84	90	96	102	108	114	120					
[l/min]	0	1.200	1.300	1.400	1.500	1.600	1.700	1.800	1.900	2.000					
[l/s]	0	20	21,7	23,3	25	26,7	28,3	30	31,7	33,3					
Campo di utilizzo consigliato Advised application field Champs d'application conseillé Camp de empleo aconsejado															
PREVALENZA - HEAD IN METERS - HAUTEUR MAN - ALTURA MANOMETRICA															
					23	18	16	15	14	13	12	11	10	9	
					47	37	31	29	28	26	24	22	20	18	
					70	55	47	44	41	38	35	32	29	26	
					93	73	62	59	55	51	47	43	39	35	
					116	91	78	73	69	64	59	54	49	44	
					140	110	93	88	83	77	71	65	59	53	
					163	128	109	102	96	89	82	75	68	61	
					209	164	140	132	124	115	106	97	88	79	
					256	201	171	161	151	140	129	118	107	96	
					279	219	186	176	165	153	141	129	117	105	
					302	237	202	190	179	166	153	140	130	114	
					349	256	233	219	206	191	173	161	146	131	






Dimensione e Pesì - Dimension and Weights - Dimension et poids - Dimension y pesos														
Tipo Type	Type Tipo	STAGE	kW	Hp	A	B	C	D	G	H	K	KGM	KGP	KGT
H8GA01BS		1	5,5	7,5	194	206	545	5"	620	1165	144	43	41	84
H8GA02BS		2	9,2	12,5	194	206	685	5"	660	1345	144	50	54	104
H8GA03BS		3	15	20	194	206	825	5"	760	1585	144	62	67	129
H8GA04BS		4	22	30	194	206	965	5"	910	1875	144	79	80	159
H8GA05BS		5	26	35	194	206	1105	5"	970	2075	144	85	93	178
H8GA06BS		6	30	40	194	206	1245	5"	1020	2265	144	91	106	197
H8GA07BS		7	37	50	194	206	1385	5"	1190	2575	144	108	119	227
H8GA09BS		9	45	60	194	206	1665	5"	1220	2885	191	162	145	307
H8GA11BS		11	55	75	194	206	1945	5"	1296	3241	191	208	171	379
H8GA12BS		12	60	80	194	206	2085	5"	1370	3455	191	219	184	403
H8GA13BS		13	66	90	194	206	2225	5"	1446	3671	191	228	197	425
H8GA14BS		14	75	100	194	206	2365	5"	1546	3911	191	248	210	458

KgM:
 Peso del solo motore in KG
 Weight of motor in KG
 Poids du moteur en KG
 Peso del motor en KG


KgP:
 Peso del solo corpo pompa in KG
 Weight of pump body in KG
 Poids du corps de pompe en KG
 Peso del cuerpo de bomba en KG

KgT:
 Peso dell'elettropompa in KG
 Weight of the electric pump in KG
 Poids de la électropompe en KG
 Peso de la electrobomba en KG

Serie H8GA B



Tipo Type	Type Tipo	Motore Motor Moteur Motor			Portata - Capacity - Debit - Caudal											
		Kw	Hp	[A]	[m ³ /h]	0	90	96	102	108	114	120	132	144	150	
					[l/min]	0	1.500	1.600	1.700	1.800	1.900	2.000	2.200	2.400	2.500	
					[l/s]	0	25	26,7	28,3	30	31,7	33,3	36,7	40	41,7	
					Campo di utilizzo consigliato Advised application field Champs d'application conseillé Camp de empleo aconsejado											
					PREVALENZA - HEAD IN METERS - HAUTEUR MAN - ALTURA MANOMETRICA											
				[m]	23	21	16	15	15	14	13	12	10	9		
H8GB01BS		5,5	7,5	13	47	43	32	30	29	28	26	23	20	17		
H8GB02BS		12,8	17,5	29	70	64	47	45	44	41	39	35	29	26		
H8GB03BS		18,5	25	42	93	85	63	61	58	55	52	46	39	34		
H8GB04BS		26	35	56	116	106	79	76	73	69	65	58	49	43		
H8GB05BS		30	40	66	140	128	95	91	87	83	78	69	59	51		
H8GB06BS		37	50	81	163	149	110	106	102	96	91	81	68	60		
H8GB07BS		45	60	92	186	170	126	121	116	110	104	92	78	68		
H8GB08BS		51	70	102	209	191	142	136	131	124	117	104	87	77		
H8GB09BS		55	75	109	256	234	173	166	160	151	143	127	106	94		
H8GB11BS		66	90	131	279	255	189	182	173	165	156	138	116	102		
H8GB12BS		75	100	148	349	319	236	226	215	203	192	168	143	128		
H8GB15BS		92	125	183												




Dimensione e Pesì - Dimension and Weights - Dimension et poids - Dimension y pesos														
Tipo Type	Type Tipo	STAGE	kW	Hp	A	B	C	D	G	H	K	KGM	KGP	KGT
H8GB01BBS		1	5,5	7,5	194	206	545	5"	583	1128	144	43	41	84
H8GB02BS		2	12,8	17,5	194	206	685	5"	710	1395	144	48	54	102
H8GB03BS		3	18,5	25	194	206	825	5"	840	1665	144	73	67	140
H8GB04BS		4	26	35	194	206	965	5"	970	1935	144	85	80	165
H8GB05BS		5	30	40	194	206	1105	5"	1020	2125	144	91	93	184
H8GB06BS		6	37	50	194	206	1245	5"	1190	2435	144	108	106	214
H8GB07BS		7	45	60	194	206	1385	5"	1220	2605	191	162	119	281
H8GB08BS		8	51	70	194	206	1525	5"	1240	2765	191	188	132	320
H8GB09BS		9	55	75	194	206	1665	5"	1296	2961	191	208	145	353
H8GB11BS		11	66	90	194	206	1945	5"	1446	3391	191	228	171	399
H8GB12BS		12	75	100	194	206	2085	5"	1546	3631	191	248	184	432
H8GB15BS		15	92	125	194	206	2505	5"	1646	4151	191	280	223	503

KgM:
 Peso del solo motore in KG
 Weight of motor in KG
 Poids du moteur en KG
 Peso del motor en KG


KgP:
 Peso del solo corpo pompa in KG
 Weight of pump body in KG
 Poids du corps de pompe en KG
 Peso del cuerpo de bomba en KG

KgT:
 Peso dell'elettropompa in KG
 Weight of the electric pump in KG
 Poids de la électropompe en KG
 Peso de la electrobomba en KG

Serie H8GB B



Tipo Type	Type Tipo	Motore Motor Moteur Motor			Portata - Capacity - Debit - Caudal																																																																																																																								
		Kw	Hp	[A]	[m ³ /h]	0	84	96	108	120	132	144	156	168	180	[l/min]	0	1.400	1.600	1.800	2.000	2.200	2.400	2.600	2.800	3.000	[l/s]	0	23,3	26,7	30	33,3	36,7	40	43,3	46,7	50																																																																																								
					Campo di utilizzo consigliato Advised application field Champs d'application conseillé Camp de empleo aconsejado																																																																																																																								
					PREVALENZA - HEAD IN METERS - HAUTEUR MAN - ALTURA MANOMETRICA																																																																																																																								
					[m]	30	24	23	22	21	20	19	18	17	14	55	44	42	40	38	35	32	30	28	23	79	63	60	57	53	50	45	40	37	31	104	82	78	73	69	64	58	52	46	39	127	103	97	91	85	79	72	64	57	48	151	121	115	107	101	93	85	75	67	58	175	140	132	124	116	108	98	87	77	66	200	178	169	157	147	137	125	111	96	82	224	178	169	157	147	137	125	111	96	82	248	198	187	175	163	152	138	123	107	91	324	278	261	252	230	216	201	162	138	114	405	347	326	315	287	270	251	203	173	143



Dimensione e Pesì - Dimension and Weights - Dimension et poids - Dimension y pesos														
Tipo Type	Type Tipo	STAGE	kW	Hp	A	B	C	D	G	H	K	KGM	KGP	KGT
H8GC01BS		1	7,5	10	194	206	545	5"	640	1185	144	48	41	89
H8GC02BS		2	15	20	194	206	685	5"	760	1445	144	62	54	116
H8GC03BS		3	22	30	194	206	825	5"	910	1735	144	79	67	146
H8GC04BS		4	30	40	194	206	965	5"	1020	1985	144	91	80	171
H8GC05BS		5	37	50	194	206	1105	5"	1190	2295	144	108	93	201
H8GC06BS		6	45	60	194	206	1245	5"	1220	2465	191	162	106	268
H8GC07BS		7	51	70	194	206	1385	5"	1240	2625	191	188	119	307
H8GC08BS		8	60	80	194	206	1525	5"	1370	2895	191	219	132	351
H8GC09BS		9	66	90	194	206	1665	5"	1446	3111	191	228	145	373
H8GC10BS		10	75	100	194	206	1805	5"	1546	3351	191	248	158	406
H8GC12BS		12	92	125	194	206	2085	5"	1646	3731	191	280	184	464
H8GC15BS		15	110	150	194	206	2505	5"	1650	4155	191	300	223	523

KgM:
 Peso del solo motore in KG
 Weight of motor in KG
 Poids du moteur en KG
 Peso del motor en KG

KgP:
 Peso del solo corpo pompa in KG
 Weight of pump body in KG
 Poids du corps de pompe en KG
 Peso del cuerpo de bomba en KG

KgT:
 Peso dell'elettropompa in KG
 Weight of the electric pump in KG
 Poids de la électropompe en KG
 Peso de la electrobomba en KG

Serie H8GC B

