


**Gestion de Aguas
 y Residuos**

| Tipo Type | Type Tipo | Motore Motor Moteur Motor | | | Portata - Capacity - Debit - Caudal | | | | | | | | | | |
|---|--------------|------------------------------------|------|-------------|-------------------------------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Kw | Hp | 380V [A] | [m ³ /h] | 0 | 72 | 78 | 84 | 90 | 96 | 102 | 108 | 114 | 120 |
| | | | | | [l/min] | 0 | 1.200 | 1.300 | 1.400 | 1.500 | 1.600 | 1.700 | 1.800 | 1.900 | 2.000 |
| | | | | | [l/s] | 0 | 20 | 21,7 | 23,3 | 25 | 26,7 | 28,3 | 30 | 31,7 | 33,3 |
| Campo di utilizzo consigliato Advised application field Champs d'application conseillé Camp de empleo aconsejado | | | | | | | | | | | | | | | |
| PREVALENZA - HEAD IN METERS - HAUTEUR MAN - ALTURA MANOMETRICA | | | | | | | | | | | | | | | |
| | | | | | [m] | 23 | 18 | 16 | 15 | 14 | 13 | 12 | 11 | 10 | 9 |
| H8GA01S | | 5,5 | 7,5 | 13 | | 47 | 37 | 31 | 29 | 28 | 26 | 24 | 22 | 20 | 18 |
| H8GA02S | | 9,2 | 12,5 | 21 | | 70 | 55 | 47 | 44 | 41 | 38 | 35 | 32 | 29 | 26 |
| H8GA03S | | 15 | 20 | 33 | | 93 | 73 | 62 | 59 | 55 | 51 | 47 | 43 | 39 | 35 |
| H8GA04S | | 22 | 30 | 49 | | 116 | 91 | 78 | 73 | 69 | 64 | 59 | 54 | 49 | 44 |
| H8GA05S | | 26 | 35 | 56 | | 140 | 110 | 93 | 88 | 83 | 77 | 71 | 65 | 59 | 53 |
| H8GA06S | | 30 | 40 | 66 | | 163 | 128 | 109 | 102 | 96 | 89 | 82 | 75 | 68 | 61 |
| H8GA07S | | 37 | 50 | 81 | | 209 | 164 | 140 | 132 | 124 | 115 | 106 | 97 | 88 | 79 |
| H8GA09S | | 45 | 60 | 92 | | 256 | 201 | 171 | 161 | 151 | 140 | 129 | 118 | 107 | 96 |
| H8GA11S | | 55 | 75 | 109 | | 279 | 219 | 186 | 176 | 165 | 153 | 141 | 129 | 117 | 105 |
| H8GA12S | | 60 | 80 | 118 | | 302 | 237 | 202 | 190 | 179 | 166 | 153 | 140 | 130 | 114 |
| H8GA13S | | 66 | 90 | 131 | | 349 | 256 | 233 | 219 | 206 | 191 | 173 | 161 | 146 | 131 |
| H8GA14S | | 75 | 100 | 148 | | | | | | | | | | | |



| Dimensione e Pesì - Dimension and Weights - Dimension et poids - Dimension y pesos | | | | | | | | | | | | | | |
|--|--------------|-------|-----|------|-----|-----|------|----|------|------|-----|-----|-----|-----|
| Tipo Type | Type Tipo | STAGE | kW | Hp | A | B | C | D | G | H | K | KGM | KGP | KGT |
| H8GA01S | | 1 | 5,5 | 7,5 | 194 | 206 | 545 | 5" | 620 | 1165 | 144 | 43 | 41 | 84 |
| H8GA02S | | 2 | 9,2 | 12,5 | 194 | 206 | 685 | 5" | 660 | 1345 | 144 | 50 | 54 | 104 |
| H8GA03S | | 3 | 15 | 20 | 194 | 206 | 825 | 5" | 760 | 1585 | 144 | 62 | 67 | 129 |
| H8GA04S | | 4 | 22 | 30 | 194 | 206 | 965 | 5" | 910 | 1875 | 144 | 79 | 80 | 159 |
| H8GA05S | | 5 | 26 | 35 | 194 | 206 | 1105 | 5" | 970 | 2075 | 144 | 85 | 93 | 178 |
| H8GA06S | | 6 | 30 | 40 | 194 | 206 | 1245 | 5" | 1020 | 2265 | 144 | 91 | 106 | 197 |
| H8GA07S | | 7 | 37 | 50 | 194 | 206 | 1385 | 5" | 1190 | 2575 | 144 | 108 | 119 | 227 |
| H8GA09S | | 9 | 45 | 60 | 194 | 206 | 1665 | 5" | 1220 | 2885 | 191 | 162 | 145 | 307 |
| H8GA11S | | 11 | 55 | 75 | 194 | 206 | 1945 | 5" | 1296 | 3241 | 191 | 208 | 171 | 379 |
| H8GA12S | | 12 | 60 | 80 | 194 | 206 | 2085 | 5" | 1370 | 3455 | 191 | 219 | 184 | 403 |
| H8GA13S | | 13 | 66 | 90 | 194 | 206 | 2225 | 5" | 1446 | 3671 | 191 | 228 | 197 | 425 |
| H8GA14S | | 14 | 75 | 100 | 194 | 206 | 2365 | 5" | 1546 | 3911 | 191 | 248 | 210 | 458 |




KgM:
 Peso del solo motore in KG
 Weight of motor in KG
 Poids du moteur en KG
 Peso del motor en KG

KgP:
 Peso del solo corpo pompa in KG
 Weight of pump body in KG
 Poids du corps de pompe en KG
 Peso del cuerpo de bomba en KG

KgT:
 Peso dell'elettropompa in KG
 Weight of the electric pump in KG
 Poids de la électropompe en KG
 Peso de la electrobomba en KG


Serie H8GA

Gestión de Aguas
 y Residuos



**Gestion de Aguas
y Residuos**

| Tipo Type | Type Tipo | Motore Motor Moteur Motor | | | Portata - Capacity - Debit - Caudal | | | | | | | | | | | |
|--------------|--------------|------------------------------------|------|-------------|---|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|
| | | Kw | Hp | [A] 380V | [m ³ /h] | 0 | 90 | 96 | 102 | 108 | 114 | 120 | 132 | 144 | 150 | |
| | | | | | [l/min] | 0 | 1.500 | 1.600 | 1.700 | 1.800 | 1.900 | 2.000 | 2.200 | 2.400 | 2.500 | |
| | | | | | [l/s] | 0 | 25 | 26,7 | 28,3 | 30 | 31,7 | 33,3 | 36,7 | 40 | 41,7 | |
| | | | | | Campo di utilizzo consigliato Advised application field Champs d'application conseillé Camp de empleo aconsejado | | | | | | | | | | | |
| | | | | | PREVALENZA - HEAD IN METERS - HAUTEUR MAN - ALTURA MANOMETRICA | | | | | | | | | | | |
| | | | | | [m] | 23 | 21 | 16 | 15 | 15 | 14 | 13 | 12 | 10 | 9 | |
| H8GB01S | | 5,5 | 7,5 | 13 | | 47 | 43 | 32 | 30 | 29 | 28 | 26 | 23 | 20 | 17 | |
| H8GB02S | | 12,8 | 17,5 | 29 | | 70 | 64 | 47 | 45 | 44 | 41 | 39 | 35 | 29 | 26 | |
| H8GB03S | | 18,5 | 25 | 42 | | 93 | 85 | 63 | 61 | 58 | 55 | 52 | 46 | 39 | 34 | |
| H8GB04S | | 26 | 35 | 56 | | 116 | 106 | 79 | 76 | 73 | 69 | 65 | 58 | 49 | 43 | |
| H8GB05S | | 30 | 40 | 66 | | 140 | 128 | 95 | 91 | 87 | 83 | 78 | 69 | 59 | 51 | |
| H8GB06S | | 37 | 50 | 81 | | 163 | 149 | 110 | 106 | 102 | 96 | 91 | 81 | 68 | 60 | |
| H8GB07S | | 45 | 60 | 92 | | 186 | 170 | 126 | 121 | 116 | 110 | 104 | 92 | 78 | 68 | |
| H8GB08S | | 51 | 70 | 102 | | 209 | 191 | 142 | 136 | 131 | 124 | 117 | 104 | 87 | 77 | |
| H8GB09S | | 55 | 75 | 109 | | 256 | 234 | 173 | 166 | 160 | 151 | 143 | 127 | 106 | 94 | |
| H8GB11S | | 66 | 90 | 131 | | 279 | 255 | 189 | 182 | 173 | 165 | 156 | 138 | 116 | 102 | |
| H8GB12S | | 75 | 100 | 148 | | 349 | 319 | 236 | 226 | 215 | 203 | 192 | 168 | 143 | 128 | |
| H8GB15S | | 92 | 125 | 183 | | | | | | | | | | | | |






| Dimensione e Pesì - Dimension and Weights - Dimension et poids - Dimension y pesos | | | | | | | | | | | | | | |
|--|--------------|-------|------|------|-----|-----|------|----|------|------|-----|-----|-----|-----|
| Tipo Type | Type Tipo | STAGE | kW | Hp | A | B | C | D | G | H | K | KGM | KGP | KGT |
| H8GB01S | | 1 | 5,5 | 7,5 | 194 | 206 | 545 | 5" | 678 | 1128 | 144 | 43 | 41 | 84 |
| H8GB02S | | 2 | 12,8 | 17,5 | 194 | 206 | 685 | 5" | 728 | 1395 | 144 | 48 | 54 | 102 |
| H8GB03S | | 3 | 18,5 | 25 | 194 | 206 | 825 | 5" | 958 | 1665 | 144 | 73 | 67 | 140 |
| H8GB04S | | 4 | 26 | 35 | 194 | 206 | 965 | 5" | 1068 | 1935 | 144 | 85 | 80 | 165 |
| H8GB05S | | 5 | 30 | 40 | 194 | 206 | 1105 | 5" | 1118 | 2125 | 144 | 91 | 93 | 184 |
| H8GB06S | | 6 | 37 | 50 | 194 | 206 | 1245 | 5" | 1288 | 2435 | 144 | 108 | 106 | 214 |
| H8GB07S | | 7 | 45 | 60 | 194 | 206 | 1385 | 5" | 1280 | 2605 | 191 | 162 | 119 | 281 |
| H8GB08S | | 8 | 51 | 70 | 194 | 206 | 1525 | 5" | 1400 | 2765 | 191 | 188 | 132 | 320 |
| H8GB09S | | 9 | 55 | 75 | 194 | 206 | 1665 | 5" | 1485 | 2961 | 191 | 208 | 145 | 353 |
| H8GB11S | | 11 | 66 | 90 | 194 | 206 | 1945 | 5" | 1590 | 3391 | 191 | 228 | 171 | 399 |
| H8GB12S | | 12 | 75 | 100 | 194 | 206 | 2085 | 5" | 1690 | 3631 | 191 | 248 | 184 | 432 |
| H8GB15S | | 15 | 92 | 125 | 194 | 206 | 2505 | 5" | 1810 | 4151 | 191 | 280 | 223 | 503 |

KgM:
Peso del solo motore in KG
Weight of motor in KG
Poids du moteur en KG
Peso del motor en KG

KgP:
Peso del solo corpo pompa in KG
Weight of pump body in KG
Poids du corps de pompe en KG
Peso del cuerpo de bomba en KG




KgT:
Peso dell'elettropompa in KG
Weight of the electric pump in KG
Poids de la élektropompe en KG
Peso de la electrobomba en KG

Serie H8GB




Serie H8GC

Gestión de Aguas y Residuos



**Gestion de Aguas
y Residuos**

| Tipo Type | Type Tipo | Motore Motor Moteur Motor | | | Portata - Capacity - Debit - Caudal | | | | | | | | | | |
|---|--------------|------------------------------------|------|-------------|-------------------------------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Kw | Hp | [A] 380V | [m ³ /h] | 0 | 72 | 78 | 84 | 90 | 96 | 102 | 108 | 114 | 120 |
| | | | | | [l/min] | 0 | 1.200 | 1.300 | 1.400 | 1.500 | 1.600 | 1.700 | 1.800 | 1.900 | 2.000 |
| | | | | | [l/s] | 0 | 20 | 21,7 | 23,3 | 25 | 26,7 | 28,3 | 30 | 31,7 | 33,3 |
| Campo di utilizzo consigliato Advised application field Champs d'application conseillé Camp de empleo aconsejado | | | | | | | | | | | | | | | |
| PREVALENZA - HEAD IN METERS - HAUTEUR MAN - ALTURA MANOMETRICA | | | | | | | | | | | | | | | |
| | | | | | [m] | 23 | 18 | 16 | 15 | 14 | 13 | 12 | 11 | 10 | 9 |
| H8GA01BS | | 5,5 | 7,5 | 13 | | 47 | 37 | 31 | 29 | 28 | 26 | 24 | 22 | 20 | 18 |
| H8GA02BS | | 9,2 | 12,5 | 21 | | 70 | 55 | 47 | 44 | 41 | 38 | 35 | 32 | 29 | 26 |
| H8GA03BS | | 15 | 20 | 33 | | 93 | 73 | 62 | 59 | 55 | 51 | 47 | 43 | 39 | 35 |
| H8GA04BS | | 22 | 30 | 49 | | 116 | 91 | 78 | 73 | 69 | 64 | 59 | 54 | 49 | 44 |
| H8GA05BS | | 26 | 35 | 56 | | 140 | 110 | 93 | 88 | 83 | 77 | 71 | 65 | 59 | 53 |
| H8GA06BS | | 30 | 40 | 66 | | 163 | 128 | 109 | 102 | 96 | 89 | 82 | 75 | 68 | 61 |
| H8GA07BS | | 37 | 50 | 81 | | 209 | 164 | 140 | 132 | 124 | 115 | 106 | 97 | 88 | 79 |
| H8GA09BS | | 45 | 60 | 92 | | 256 | 201 | 171 | 161 | 151 | 140 | 129 | 118 | 107 | 96 |
| H8GA11BS | | 55 | 75 | 109 | | 279 | 219 | 186 | 176 | 165 | 153 | 141 | 129 | 117 | 105 |
| H8GA12BS | | 60 | 80 | 118 | | 302 | 237 | 202 | 190 | 179 | 166 | 153 | 140 | 130 | 114 |
| H8GA13BS | | 66 | 90 | 131 | | 349 | 256 | 233 | 219 | 206 | 191 | 173 | 161 | 146 | 131 |
| H8GA14BS | | 75 | 100 | 148 | | | | | | | | | | | |






| Dimensione e Pesì - Dimension and Weights - Dimension et poids - Dimension y pesos | | | | | | | | | | | | | | |
|--|--------------|-------|-----|------|-----|-----|------|----|------|------|-----|-----|-----|-----|
| Tipo Type | Type Tipo | STAGE | kW | Hp | A | B | C | D | G | H | K | KGM | KGP | KGT |
| H8GA01BS | | 1 | 5,5 | 7,5 | 194 | 206 | 545 | 5" | 620 | 1165 | 144 | 43 | 41 | 84 |
| H8GA02BS | | 2 | 9,2 | 12,5 | 194 | 206 | 685 | 5" | 660 | 1345 | 144 | 50 | 54 | 104 |
| H8GA03BS | | 3 | 15 | 20 | 194 | 206 | 825 | 5" | 760 | 1585 | 144 | 62 | 67 | 129 |
| H8GA04BS | | 4 | 22 | 30 | 194 | 206 | 965 | 5" | 910 | 1875 | 144 | 79 | 80 | 159 |
| H8GA05BS | | 5 | 26 | 35 | 194 | 206 | 1105 | 5" | 970 | 2075 | 144 | 85 | 93 | 178 |
| H8GA06BS | | 6 | 30 | 40 | 194 | 206 | 1245 | 5" | 1020 | 2265 | 144 | 91 | 106 | 197 |
| H8GA07BS | | 7 | 37 | 50 | 194 | 206 | 1385 | 5" | 1190 | 2575 | 144 | 108 | 119 | 227 |
| H8GA09BS | | 9 | 45 | 60 | 194 | 206 | 1665 | 5" | 1220 | 2885 | 191 | 162 | 145 | 307 |
| H8GA11BS | | 11 | 55 | 75 | 194 | 206 | 1945 | 5" | 1296 | 3241 | 191 | 208 | 171 | 379 |
| H8GA12BS | | 12 | 60 | 80 | 194 | 206 | 2085 | 5" | 1370 | 3455 | 191 | 219 | 184 | 403 |
| H8GA13BS | | 13 | 66 | 90 | 194 | 206 | 2225 | 5" | 1446 | 3671 | 191 | 228 | 197 | 425 |
| H8GA14BS | | 14 | 75 | 100 | 194 | 206 | 2365 | 5" | 1546 | 3911 | 191 | 248 | 210 | 458 |

KgM:
 Peso del solo motore in KG
 Weight of motor in KG
 Poids du moteur en KG
 Peso del motor en KG

KgP:
 Peso del solo corpo pompa in KG
 Weight of pump body in KG
 Poids du corps de pompe en KG
 Peso del cuerpo de bomba en KG


KgT:
 Peso dell'elettropompa in KG
 Weight of the electric pump in KG
 Poids de la électropompe en KG
 Peso de la electrobomba en KG

Serie H8GA B



**Gestion de Aguas
y Residuos**

| Tipo Type | Type Tipo | Motore Motor Moteur Motor | | | Portata - Capacity - Debit - Caudal | | | | | | | | | | | |
|--------------|--------------|------------------------------------|------|-------------|---|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|
| | | Kw | Hp | [A] 380V | [m ³ /h] | 0 | 90 | 96 | 102 | 108 | 114 | 120 | 132 | 144 | 150 | |
| | | | | | [l/min] | 0 | 1.500 | 1.600 | 1.700 | 1.800 | 1.900 | 2.000 | 2.200 | 2.400 | 2.500 | |
| | | | | | [l/s] | 0 | 25 | 26,7 | 28,3 | 30 | 31,7 | 33,3 | 36,7 | 40 | 41,7 | |
| | | | | | Campo di utilizzo consigliato Advised application field Champs d'application conseillé Camp de empleo aconsejado | | | | | | | | | | | |
| | | | | | PREVALENZA - HEAD IN METERS - HAUTEUR MAN - ALTURA MANOMETRICA | | | | | | | | | | | |
| | | | | [m] | 23 | 21 | 16 | 15 | 15 | 14 | 13 | 12 | 10 | 9 | | |
| H8GB01BS | | 5,5 | 7,5 | 13 | 47 | 43 | 32 | 30 | 29 | 28 | 26 | 23 | 20 | 17 | | |
| H8GB02BS | | 12,8 | 17,5 | 29 | 70 | 64 | 47 | 45 | 44 | 41 | 39 | 35 | 29 | 26 | | |
| H8GB03BS | | 18,5 | 25 | 42 | 93 | 85 | 63 | 61 | 58 | 55 | 52 | 46 | 39 | 34 | | |
| H8GB04BS | | 26 | 35 | 56 | 116 | 106 | 79 | 76 | 73 | 69 | 65 | 58 | 49 | 43 | | |
| H8GB05BS | | 30 | 40 | 66 | 140 | 128 | 95 | 91 | 87 | 83 | 78 | 69 | 59 | 51 | | |
| H8GB06BS | | 37 | 50 | 81 | 163 | 149 | 110 | 106 | 102 | 96 | 91 | 81 | 68 | 60 | | |
| H8GB07BS | | 45 | 60 | 92 | 186 | 170 | 126 | 121 | 116 | 110 | 104 | 92 | 78 | 68 | | |
| H8GB08BS | | 51 | 70 | 102 | 209 | 191 | 142 | 136 | 131 | 124 | 117 | 104 | 87 | 77 | | |
| H8GB09BS | | 55 | 75 | 109 | 256 | 234 | 173 | 166 | 160 | 151 | 143 | 127 | 106 | 94 | | |
| H8GB11BS | | 66 | 90 | 131 | 279 | 255 | 189 | 182 | 173 | 165 | 156 | 138 | 116 | 102 | | |
| H8GB12BS | | 75 | 100 | 148 | 349 | 319 | 236 | 226 | 215 | 203 | 192 | 168 | 143 | 128 | | |
| H8GB15BS | | 92 | 125 | 183 | | | | | | | | | | | | |






| Dimensione e Pesì - Dimension and Weights - Dimension et poids - Dimension y pesos | | | | | | | | | | | | | | |
|--|--------------|-------|------|------|-----|-----|------|----|------|------|-----|-----|-----|-----|
| Tipo Type | Type Tipo | STAGE | kW | Hp | A | B | C | D | G | H | K | KGM | KGP | KGT |
| H8GB01BBS | | 1 | 5,5 | 7,5 | 194 | 206 | 545 | 5" | 583 | 1128 | 144 | 43 | 41 | 84 |
| H8GB02BS | | 2 | 12,8 | 17,5 | 194 | 206 | 685 | 5" | 710 | 1395 | 144 | 48 | 54 | 102 |
| H8GB03BS | | 3 | 18,5 | 25 | 194 | 206 | 825 | 5" | 840 | 1665 | 144 | 73 | 67 | 140 |
| H8GB04BS | | 4 | 26 | 35 | 194 | 206 | 965 | 5" | 970 | 1935 | 144 | 85 | 80 | 165 |
| H8GB05BS | | 5 | 30 | 40 | 194 | 206 | 1105 | 5" | 1020 | 2125 | 144 | 91 | 93 | 184 |
| H8GB06BS | | 6 | 37 | 50 | 194 | 206 | 1245 | 5" | 1190 | 2435 | 144 | 108 | 106 | 214 |
| H8GB07BS | | 7 | 45 | 60 | 194 | 206 | 1385 | 5" | 1220 | 2605 | 191 | 162 | 119 | 281 |
| H8GB08BS | | 8 | 51 | 70 | 194 | 206 | 1525 | 5" | 1240 | 2765 | 191 | 188 | 132 | 320 |
| H8GB09BS | | 9 | 55 | 75 | 194 | 206 | 1665 | 5" | 1296 | 2961 | 191 | 208 | 145 | 353 |
| H8GB11BS | | 11 | 66 | 90 | 194 | 206 | 1945 | 5" | 1446 | 3391 | 191 | 228 | 171 | 399 |
| H8GB12BS | | 12 | 75 | 100 | 194 | 206 | 2085 | 5" | 1546 | 3631 | 191 | 248 | 184 | 432 |
| H8GB15BS | | 15 | 92 | 125 | 194 | 206 | 2505 | 5" | 1646 | 4151 | 191 | 280 | 223 | 503 |

KgM:
 Peso del solo motore in KG
 Weight of motor in KG
 Poids du moteur en KG
 Peso del motor en KG


KgP:
 Peso del solo corpo pompa in KG
 Weight of pump body in KG
 Poids du corps de pompe en KG
 Peso del cuerpo de bomba en KG

KgT:
 Peso dell'elettropompa in KG
 Weight of the electric pump in KG
 Poids de la électropompe en KG
 Peso de la electrobomba en KG

Serie H8GB B



| Tipo Type | Type Tipo | Motore Motor Moteur Motor | | | Portata - Capacity - Debit - Caudal | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|--------------|------------------------------------|----|-------------|---|----|----|----|-----|-----|-----|-----|-----|-----|-----|---------|----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----|------|------|----|------|------|----|------|------|----|----|----|----|----|----|----|----|----|-----|-----|----|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | | Kw | Hp | [A] 380V | [m ³ /h] | 0 | 84 | 96 | 108 | 120 | 132 | 144 | 156 | 168 | 180 | [l/min] | 0 | 1.400 | 1.600 | 1.800 | 2.000 | 2.200 | 2.400 | 2.600 | 2.800 | 3.000 | [l/s] | 0 | 23,3 | 26,7 | 30 | 33,3 | 36,7 | 40 | 43,3 | 46,7 | 50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | Campo di utilizzo consigliato Advised application field Champs d'application conseillé Camp de empleo aconsejado | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | PREVALENZA - HEAD IN METERS - HAUTEUR MAN - ALTURA MANOMETRICA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | [m] | 30 | 24 | 23 | 22 | 21 | 20 | 19 | 18 | 17 | 14 | 55 | 44 | 42 | 40 | 38 | 35 | 32 | 30 | 28 | 23 | 79 | 63 | 60 | 57 | 53 | 50 | 45 | 40 | 37 | 31 | 104 | 82 | 78 | 73 | 69 | 64 | 58 | 52 | 46 | 39 | 127 | 103 | 97 | 91 | 85 | 79 | 72 | 64 | 57 | 48 | 151 | 121 | 115 | 107 | 101 | 93 | 85 | 75 | 67 | 58 | 175 | 140 | 132 | 124 | 116 | 108 | 98 | 87 | 77 | 66 | 200 | 178 | 169 | 157 | 147 | 137 | 125 | 111 | 96 | 82 | 224 | 178 | 169 | 157 | 147 | 137 | 125 | 111 | 96 | 82 | 248 | 198 | 187 | 175 | 163 | 152 | 138 | 123 | 107 | 91 | 324 | 278 | 261 | 252 | 230 | 216 | 201 | 162 | 138 | 114 | 405 | 347 | 326 | 315 | 287 | 270 | 251 | 203 | 173 | 143 |



| Dimensione e Pesì - Dimension and Weights - Dimension et poids - Dimension y pesos | | | | | | | | | | | | | | |
|--|--------------|-------|-----|-----|-----|-----|------|----|------|------|-----|-----|-----|-----|
| Tipo Type | Type Tipo | STAGE | kW | Hp | A | B | C | D | G | H | K | KGM | KGP | KGT |
| H8GC01BS | | 1 | 7,5 | 10 | 194 | 206 | 545 | 5" | 640 | 1185 | 144 | 48 | 41 | 89 |
| H8GC02BS | | 2 | 15 | 20 | 194 | 206 | 685 | 5" | 760 | 1445 | 144 | 62 | 54 | 116 |
| H8GC03BS | | 3 | 22 | 30 | 194 | 206 | 825 | 5" | 910 | 1735 | 144 | 79 | 67 | 146 |
| H8GC04BS | | 4 | 30 | 40 | 194 | 206 | 965 | 5" | 1020 | 1985 | 144 | 91 | 80 | 171 |
| H8GC05BS | | 5 | 37 | 50 | 194 | 206 | 1105 | 5" | 1190 | 2295 | 144 | 108 | 93 | 201 |
| H8GC06BS | | 6 | 45 | 60 | 194 | 206 | 1245 | 5" | 1220 | 2465 | 191 | 162 | 106 | 268 |
| H8GC07BS | | 7 | 51 | 70 | 194 | 206 | 1385 | 5" | 1240 | 2625 | 191 | 188 | 119 | 307 |
| H8GC08BS | | 8 | 60 | 80 | 194 | 206 | 1525 | 5" | 1370 | 2895 | 191 | 219 | 132 | 351 |
| H8GC09BS | | 9 | 66 | 90 | 194 | 206 | 1665 | 5" | 1446 | 3111 | 191 | 228 | 145 | 373 |
| H8GC10BS | | 10 | 75 | 100 | 194 | 206 | 1805 | 5" | 1546 | 3351 | 191 | 248 | 158 | 406 |
| H8GC12BS | | 12 | 92 | 125 | 194 | 206 | 2085 | 5" | 1646 | 3731 | 191 | 280 | 184 | 464 |
| H8GC15BS | | 15 | 110 | 150 | 194 | 206 | 2505 | 5" | 1650 | 4155 | 191 | 300 | 223 | 523 |

KgM:
 Peso del solo motore in KG
 Weight of motor in KG
 Poids du moteur en KG
 Peso del motor en KG

KgP:
 Peso del solo corpo pompa in KG
 Weight of pump body in KG
 Poids du corps de pompe en KG
 Peso del cuerpo de bomba en KG

KgT:
 Peso dell'elettropompa in KG
 Weight of the electric pump in KG
 Poids de la électropompe en KG
 Peso de la electrobomba en KG

Serie H8GC B

Gestión de Aguas
 y Residuos

